

Efficiency in F-Theory: FTheoryTools

Martin Bies

RPTU Kaiserslautern-Landau

String Phenomenology Conference

Padova, Italy

June 27, 2024

Based on work with A. P. Turner, M. E. Mikelsons, and the OSCAR team.

- F-theory is a powerful tool for exploring the string landscape.

- F-theory is a powerful tool for exploring the string landscape.
- F-theory involves many difficult/tedious computations:

| | |
|--|---|
| Nonabelian gauge algebras, matter curves, Yukawa points | Crepant resolution, intersection theory |
| Global gauge group structure & $U(1)$ s | Mordell–Weil group |
| Discrete gauge factors | Weil–Châtelet group |
| Chiral matter | G_4 -flux |
| Vector-like matter | Deligne cohomology, root bundles, refined bases [Li, Taylor '23] |

- F-theory is a powerful tool for exploring the string landscape.
- F-theory involves many difficult/tedious computations:

| | |
|--|--|
| Nonabelian gauge algebras, matter curves, Yukawa points | Crepant resolution, intersection theory |
| Global gauge group structure & $U(1)$ s | Mordell–Weil group |
| Discrete gauge factors | Weil–Châtelet group |
| Chiral matter | G_4 -flux |
| Vector-like matter | Deligne cohomology, root bundles, refined bases <small>[Li, Taylor '23]</small> |

- This complexity obstructs progress in F-theory:
 - Imposes large computational overhead for analyzing models.
 - Makes it harder for newcomers to enter the field.

- FTheoryTools: Developing a unified toolkit for F-theory model analysis.

- FTheoryTools: Developing a unified toolkit for F-theory model analysis.
- Included in large software project OSCAR (<https://www.oscar-system.org>).

- FTheoryTools: Developing a unified toolkit for F-theory model analysis.
- Included in large software project OSCAR (<https://www.oscar-system.org>).
- Written in modern programming language Julia (fast! <https://julialang.org/>).

- FTheoryTools: Developing a unified toolkit for F-theory model analysis.
- Included in large software project OSCAR (<https://www.oscar-system.org>).
- Written in modern programming language Julia (fast! <https://julialang.org/>).
- Includes large database of F-theory models, compliant with MaRDI standards: <https://www.mardi4nfdi.de/about/mission>.
("Interactive paper": Corrects typos, redos computations & extends them.)

- FTheoryTools: Developing a unified toolkit for F-theory model analysis.
- Included in large software project OSCAR (<https://www.oscar-system.org>).
- Written in modern programming language Julia (fast! <https://julialang.org/>).
- Includes large database of F-theory models, compliant with MaRDI standards: <https://www.mardi4nfdi.de/about/mission>.
("Interactive paper": Corrects typos, redos computations & extends them.)
- Docs: <https://docs.oscar-system.org/stable/Experimental/FTheoryTools/introduction/>.

- FTheoryTools: Developing a unified toolkit for F-theory model analysis.
- Included in large software project OSCAR (<https://www.oscar-system.org>).
- Written in modern programming language Julia (fast! <https://julialang.org/>).
- Includes large database of F-theory models, compliant with MaRDI standards: <https://www.mardi4nfdi.de/about/mission>.
("Interactive paper": Corrects typos, redos computations & extends them.)
- Docs: <https://docs.oscar-system.org/stable/Experimental/FTheoryTools/introduction/>.
- Tutorial: <https://www.oscar-system.org/tutorials/FTheoryTools/>.

- FTheoryTools: Developing a unified toolkit for F-theory model analysis.
- Included in large software project OSCAR (<https://www.oscar-system.org>).
- Written in modern programming language Julia (fast! <https://julialang.org/>).
- Includes large database of F-theory models, compliant with MaRDI standards: <https://www.mardi4nfdi.de/about/mission>.
("Interactive paper": Corrects typos, redos computations & extends them.)
- Docs: <https://docs.oscar-system.org/stable/Experimental/FTheoryTools/introduction/>.
- Tutorial: <https://www.oscar-system.org/tutorials/FTheoryTools/>.
- Yet more details:
M. Bies, and A. Turner, *F-Theory Applications*, chapter in book "The Computer Algebra System OSCAR: Algorithms and Examples", Sept. 2024, ISSN 1431-1550.

- Beyond toric blowups:
 - Enhanced interactions between toric varieties and schemes.
 - Once toric means exhausted, blowups are **automatically** done via schemes.

- Beyond toric blowups:
 - Enhanced interactions between toric varieties and schemes.
 - Once toric means exhausted, blowups are **automatically** done via schemes.
- Tuning models:
 - Model defined over arbitrary base space can be put over concrete base.
 - One often focuses on generic sections – can specialize, i.e. set coefficients as desired.

- Beyond toric blowups:
 - Enhanced interactions between toric varieties and schemes.
 - Once toric means exhausted, blowups are **automatically** done via schemes.
- Tuning models:
 - Model defined over arbitrary base space can be put over concrete base.
 - One often focuses on generic sections – can specialize, i.e. set coefficients as desired.
- More literature models:

- Beyond toric blowups:
 - Enhanced interactions between toric varieties and schemes.
 - Once toric means exhausted, blowups are **automatically** done via schemes.
- Tuning models:
 - Model defined over arbitrary base space can be put over concrete base.
 - One often focuses on generic sections – can specialize, i.e. set coefficients as desired.
- More literature models:
 - "F-Theory on all Toric Hypersurface Fibrations and its Higgs Branches"
[Klevers, Pena, Oehlmann, Piragua, Reuter '14](#),
16 hypersurface and 16 **Weierstrass models** over arbitrary base. Gauge groups:
 $SU(3)^3/\mathbb{Z}_3, (SU(2))^4/\mathbb{Z}_2 \times U(1), \dots, U(1) \times \mathbb{Z}_2, \mathbb{Z}_3.$

- Beyond toric blowups:
 - Enhanced interactions between toric varieties and schemes.
 - Once toric means exhausted, blowups are **automatically** done via schemes.
- Tuning models:
 - Model defined over arbitrary base space can be put over concrete base.
 - One often focuses on generic sections – can specialize, i.e. set coefficients as desired.
- More literature models:
 - "F-Theory on all Toric Hypersurface Fibrations and its Higgs Branches"
Klevers, Pena, Oehlmann, Piragua, Reuter '14,
16 hypersurface and 16 **Weierstrass models** over arbitrary base. Gauge groups:
 $SU(3)^3/\mathbb{Z}_3$, $(SU(2))^4/\mathbb{Z}_2 \times U(1)$, \dots , $U(1) \times \mathbb{Z}_2$, \mathbb{Z}_3 .
 - "A Quadrillion Standard Models from F-theory"
Cvetič, Halverson, Lin, Liu, Tian '19.
702 families of hypersurface models with $SU(3) \times SU(2) \times U(1)/\mathbb{Z}_6$
Each family encoded in triangulations of certain 3d reflexive polytopes [Kreuzer Skarke '98].
Includes root bundle data. ([M.B. Cvetič, Donagi, Ong '23], [M.B. '23], [M.B. Cvetič, Donagi, Ong '22], [M.B., Cvetič, Liu '21], [M.B., Cvetič, Donagi, Liu, Ong '21])

Code demonstration is in order!

Visit the OSCAR tutorials: <https://www.oscar-system.org/tutorials/>.

Code demonstration is in order!

Visit the OSCAR tutorials: <https://www.oscar-system.org/tutorials/>.

← → ↻ 🏠 <https://www.oscar-system.org/tutorials/>

OSCAR SYMBOLIC TOOLS

The OSCAR project

- Home
- About
- News
- Installation
- Tutorials**
- Documentation
- Community
- Talks
- Meetings
- Credits
- Contributors
- The OSCAR book







Tutorials

This page contains jupyter notebooks that demonstrate the functionality of the OSCAR project.

For each topic, you can decide to open a static version of the jupyter notebook, powered by [nbviewer](#). Alternatively, you can inspect the jupyter notebook directly on [github](#).


▶ How to interact with a "live" version

Click on one of the links below to filter notebooks (and re-click to disable filtering).

| | | | |
|--|---|--|--|
|  FTheory Tools |  Group Theory |  Number Theory |  Polyhedral Geometry |
|  Commutative Algebra |  Toric Geometry | | |

Code demonstration is in order!

Visit the OSCAR tutorials: <https://www.oscar-system.org/tutorials/>.



FTheoryTools

- Authors: Martin Bies, Mikelis Emils Mikelsons, Andrew P. Turner
- Version: OSCAR version 1.1.0
- Last modified: June 21st, 2024

This tutorial provides a brief introduction to the *FTheoryTools* component of *OSCAR*.

The aim is to describe some basic constructions. In order to facilitate this introduction, we are very selective in what we present. For a full description of the available functionality, see <https://docs.oscar-system.org/stable/Experimental/FTheoryTools/introduction/>. It is worth mentioning that *FTheoryTools* is still (as of June 21st, 2024) in its experimental stage in *OSCAR*. Consequently, major changes may happen in the future.

For this tutorial, no prior knowledge of *OSCAR* is necessary.


Content

1. An $SU(5)$ Tate model from scratch
 - Construction
 - Properties and Attributes
2. Literature Models and Singularity Resolution
 - Creating a Literature Model
 - Attributes and Properties of Literature Models
 - Singularity Resolution
 - Other Functionality
3. The Quadrillion F-Theory Standard Models
 - Base Geometry
 - The C_1 Curves

```
[1]: using Oscar
```

OSCAR | Combining ANTIC, GAP, Polymake, Singular
Type "?oscar" for more information
Manual: <https://docs.oscar-system.org>
1.1.0 #release-1.1 d0b75de 2024-06-21

Visit the OSCAR tutorials: <https://www.oscar-system.org/tutorials/>.



FTheoryToolsInOSCAR.ipynb +

Notebook Julia 1.9.2

1 An SU(5) Tate model from scratch

1.A Construction

We begin by showing how an F-theory model can be created within the F-theory tools. This is showcase this by looking at an $SU(5)$ Tate model over an arbitrary base. To construct this model, we begin with a $\mathbb{P}^{2,3,1}$ fibration over a complex n -dimensional base manifold B , such that the homogeneous coordinates $[x : y : z]$ transform as

$$x \in H^0(B, \bar{K}_B^{\otimes 2}), \quad y \in H^0(B, \bar{K}_B^{\otimes 3}), \quad z \in H^0(B, \mathcal{O}_B),$$

with \bar{K}_B the canonical bundle of the base. A Tate model is realized as a hypersurface in this $(n+2)$ -dimensional ambient space given by the locus

$$y^2 + a_1xyz + a_3yz^3 = x^3 + a_2x^2z^2 + a_4xz^4 + a_6z^6,$$

with $a_i \in H^0(B, \bar{K}_B^{\otimes i})$. These data define an elliptic fibration X over the base B .

For the $SU(5)$ Tate model, we tune the parameters a_i of the model so they become proportional to specific powers of w , with $w = 0$ a divisor in the base B :

$$a_1 = w^0 a_{1,0}, \quad a_2 = w^1 a_{2,1}, \quad a_3 = w^2 a_{3,2}, \quad a_4 = w^3 a_{4,3}, \quad a_6 \equiv 0.$$

Certainly, we could fix a base. In this case we talk about one explicit geometry/F-theory model. Typically, people in the literature like to study families of models in that the base is left mostly unconstrained. Even so, one would at the very least fix the dimension of the base. We shall follow this example and fix $\dim(B) = 3$.

With **FTheoryTools**, we can create this model with the following steps. First, we create a ring (which you may read as an auxiliary base coordinate ring) whose indeterminates are the parameters needed to define the Tate model in question. Here these parameters are $a_{10}, a_{21}, a_{32}, a_{43}, a_{65}$ and w . So we create the following ring:

```
[2]: auxiliary_base_ring, (a10, a21, a32, a43, a65, w) = QQ["a10", "a21", "a32", "a43", "a65", "w"]
```

```
[2]: (Multivariate polynomial ring in 6 variables over QQ, QQMPolyRingElem[a10, a21, a32, a43, a65, w])
```

Note that this command not only defines the polynomial ring, but also defines symbols `a10`, `a21`, `dots`, `w` which refer to the indeterminates of this polynomial ring. This will be important momentarily.

As mentioned above, the model parameters a_{ij} transform as sections of the line bundle $\bar{K}_B^{\otimes i} \otimes \mathcal{O}_B(\{w=0\})^{\otimes(-j)}$. Certainly, we must inform **FTheoryTools** about this transformation behavior. To this en, we record the powers i and j in the following matrix:

```
[3]: auxiliary_base_grading = [1 2 3 4 6 0; 0 -1 -2 -3 -5 1]
```

FTheoryTools: Developing a unified toolkit for F-theory model analysis.

- Brings together many mathematical tools to analyze F-theory models.
- Provides a (growing) database of models from the literature.

Conclusions

FTheoryTools: Developing a unified toolkit for F-theory model analysis.

- Brings together many mathematical tools to analyze F-theory models.
- Provides a (growing) database of models from the literature.

To-Dos include:

Conclusions

FTheoryTools: Developing a unified toolkit for F-theory model analysis.

- Brings together many mathematical tools to analyze F-theory models.
- Provides a (growing) database of models from the literature.

To-Dos include:

- Many more exciting literature models. Add them!

Conclusions

FTheoryTools: Developing a unified toolkit for F-theory model analysis.

- Brings together many mathematical tools to analyze F-theory models.
- Provides a (growing) database of models from the literature.

To-Dos include:

- Many more exciting literature models. Add them!
- Some models require new infrastructure.

Conclusions

FTheoryTools: Developing a unified toolkit for F-theory model analysis.

- Brings together many mathematical tools to analyze F-theory models.
- Provides a (growing) database of models from the literature.

To-Dos include:

- Many more exciting literature models. Add them!
- Some models require new infrastructure.
 - Complete intersection models e.g. to include [\[Li, Taylor '23\]](#).

FTheoryTools: Developing a unified toolkit for F-theory model analysis.

- Brings together many mathematical tools to analyze F-theory models.
- Provides a (growing) database of models from the literature.

To-Dos include:

- Many more exciting literature models. Add them!
- Some models require new infrastructure.
 - Complete intersection models e.g. to include [Li, Taylor '23].
 - Anticipate also CICY and even schemes models.

FTheoryTools: Developing a unified toolkit for F-theory model analysis.

- Brings together many mathematical tools to analyze F-theory models.
- Provides a (growing) database of models from the literature.

To-Dos include:

- Many more exciting literature models. Add them!
- Some models require new infrastructure.
 - Complete intersection models e.g. to include [Li, Taylor '23].
 - Anticipate also CICY and even schemes models.
- To enhance root bundle program, include [RootCounter](#).

FTheoryTools: Developing a unified toolkit for F-theory model analysis.

- Brings together many mathematical tools to analyze F-theory models.
- Provides a (growing) database of models from the literature.

To-Dos include:

- Many more exciting literature models. Add them!
- Some models require new infrastructure.
 - Complete intersection models e.g. to include [Li, Taylor '23].
 - Anticipate also CICY and even schemes models.
- To enhance root bundle program, include RootCounter.
- Support for G_4 -fluxes & their enumeration (in toric settings).

Conclusions

FTheoryTools: Developing a unified toolkit for F-theory model analysis.

- Brings together many mathematical tools to analyze F-theory models.
- Provides a (growing) database of models from the literature.

To-Dos include:

- Many more exciting literature models. Add them!
- Some models require new infrastructure.
 - Complete intersection models e.g. to include [Li, Taylor '23].
 - Anticipate also CICY and even schemes models.
- To enhance root bundle program, include RootCounter.
- Support for G_4 -fluxes & their enumeration (in toric settings).
- Weighted blowups? (Cf. [Arena, Jefferson, Obinna '23])

Conclusions

FTheoryTools: Developing a unified toolkit for F-theory model analysis.

- Brings together many mathematical tools to analyze F-theory models.
- Provides a (growing) database of models from the literature.

To-Dos include:

- Many more exciting literature models. Add them!
- Some models require new infrastructure.
 - Complete intersection models e.g. to include [Li, Taylor '23].
 - Anticipate also CICY and even schemes models.
- To enhance root bundle program, include RootCounter.
- Support for G_4 -fluxes & their enumeration (in toric settings).
- Weighted blowups? (Cf. [Arena, Jefferson, Obinna '23])
- Algorithmic **crepant** desingularization?

FTheoryTools: Developing a unified toolkit for F-theory model analysis.

- Brings together many mathematical tools to analyze F-theory models.
- Provides a (growing) database of models from the literature.

To-Dos include:

- Many more exciting literature models. Add them!
- Some models require new infrastructure.
 - Complete intersection models e.g. to include [Li, Taylor '23].
 - Anticipate also CICY and even schemes models.
- To enhance root bundle program, include RootCounter.
- Support for G_4 -fluxes & their enumeration (in toric settings).
- Weighted blowups? (Cf. [Arena, Jefferson, Obinna '23])
- Algorithmic **crepant** desingularization?
- Mordell–Weil group and Weil–Châtelet group.

FTheoryTools: Developing a unified toolkit for F-theory model analysis.

- Brings together many mathematical tools to analyze F-theory models.
- Provides a (growing) database of models from the literature.

To-Dos include:

- Many more exciting literature models. Add them!
- Some models require new infrastructure.
 - Complete intersection models e.g. to include [Li, Taylor '23].
 - Anticipate also CICY and even schemes models.
- To enhance root bundle program, include RootCounter.
- Support for G_4 -fluxes & their enumeration (in toric settings).
- Weighted blowups? (Cf. [Arena, Jefferson, Obinna '23])
- Algorithmic **crepant** desingularization?
- Mordell–Weil group and Weil–Châtelet group.



Thank you for your attention!